



Greek and Roman
solar buildings
featured vast, un-
glazed south-facing
apertures.Image: Image: Imag

2


Introduction to Passive Strategies

"Again when he (Socrates) said about houses that beauty and utility were the same, he was giving a lesson in the art of building houses as they ought to be. He approached the problem thus:


'Is it not true that to have the right house it should be both useful and pleasant to live in.'

And this being admitted: "is it pleasant," he asked, "to have it cool in summer and warm in winter."

And when they agreed with this also, "Now in houses with a southern exposure, the sun's rays penetrate the porticos in winter but in summer being less inclined, they afford us shade. If then, this is the best arrangement, we should build the south side loftier to get the winter sun, and the north side lower to keep out the cold winds."










 Your Solar Home, LOF, 1947

 Your Solar Home, LOF, 1947









A PASSIVE SOLAR HEATING OR COOLING SYSTEM IS ONE IN WHICH THE THERMAL ENERGY FLOW IS BY NATURAL MEANS.





































ve Strategies	
Cooling	Heating
Direct Loss	Direct Gain
Indirect Loss	Indirect Gain
Isolated Loss	Isolated Gain
Avoiding Gain	Avoiding Loss
Lowering Internal	No conserving
Gain	parallel
























































































37





38





Hybrid system: Trombe wall for heating/cooling Windows for light and view, Girl Scout House, NJ

































































55



56



For IDL buildings: Cooling and lighting is 50% of the energy use. Heating only 25%.

For SDL buildings: Cooling and lighting is <15% of the energy use. Heating is 40%.

