

Epidemiology of Substance Abuse

Psychology 470

Introduction to Chemical Additions

Steven E. Meier. Ph.D.

Listen to the audio lecture while viewing these slides

1

Psyc 470 – Introduction to Chemical Addictions

Some Estimates

- Text
 - 104 Billion Dollars is spent on alcohol
 - 51.9 Billion on tobacco-related products
 - 5.7 Billion on Zanthine-related products
 Coffee, Tea, Cocoa
 - 430 Billion on prescription medications
 - 16 Billion on over the counter meds

2

Psyc 470 - Introduction to Chemical Addictions

Other Statistics

- Youth Risk Behavior Survey (YRBS) Results for 2003
 - ¼ of U.S. high school students report using alcohol before age 13
 - 18% had smoked a whole cigarette
 - 10% had tried marijuana
 - Males more likely than females to try all substances

3

5

Psyc 470 - Introduction to Chemical Addictions

Lifetime Statistics from YRBS

- 58.4% of all students had tried cigarettes (1-2 puffs)
- 15% had smoked one or more cigarettes per day during the previous 30 days.
 - 3.1% had smoked 10 or more
 - 6.7% has used smokeless tobacco

4

Psyc 470 – Introduction to Chemical Addictions

Alcohol Use in YRBS

- 75% had one or more drinks on more than one day during their lifetime.
- 45% had one or more drinks in the previous 30 days.
- 28% had more than 5 drinks in a row in a couple of hours during the previous 30days.

Psyc 470 - Introduction to Chemical Addictions

Other Drugs from YRBS

- · Marijuana use
 - 40% had used marijuana
 - 22% had used marijuana one or more times during the previous 30 days
- · Cocaine use
 - 8.7% had used cocaine
 - 4.1% had used cocaine one or more times during the past 30 days
- Inhalants
 - 12% had used inhalants
 - 3.9 had used in the past 30 days.

6

Psyc 470 - Introduction to Chemical Addictions

Lifetime use

- 6.1% had used steroids
- 3.3% had used heroin
- 7.6% had used methamphetamine
- 11% had used ecstasy

7

Psyc 470 - Introduction to Chemical Addictions

Some General Statistics from YRBS

- Males have higher rates than females for most
- White females had highest rates for cigarette smoking
- Hispanic males had greatest lifetime alcohol use.
- White and Hispanic females had highest rates for current and episodic alcohol use.
 Black males had highest current marijuana use
- White males had highest rates for inhalants and steroids

8

Psyc 470 - Introduction to Chemical Addictions

Idaho Statistics

- Go to the following website
- www.class.uidaho.edu/sasi
- · Look at the data.

9