

Cannabis Marijuana Marihuana

Introduction to Chemical Additions

Steven E. Meier, Ph.D.

Listen to the audio lecture while viewing these slides

1

Introduction to Chemical Addictions

Biology

Family : CannabaceaeGenus : Cannabis

• Species : sativa; indica; ruderalis

2

Introduction to Chemical Addictions

Marijuana

- Most commonly used illicit drug in the world
- · Grows throughout the world
- Past, generally grew in most temperate and tropical regions.
- Today can be grown anywhere
- Major psychoactive ingredient is THC (delta-9-tetrahydrocannabinol)
- There are 400 other active chemicals.

3

Introduction to Chemical Addictions

Other Derivatives of Cannabis

- Sinsemilla
- Hashish ("hash") and Charas
- · Hash oil

4

Introduction to Chemical Addictions

Sinsemilla

- Made from just the buds and flowering tops of female plants that are not pollinated.
- Average = 7.5 % THC
 - Can range as high as 24% THC
 - Canadian Bud

5

Introduction to Chemical Addictions

Hashish

 The sticky resin from the female plant flowers.
 Collected by shaking over a fine screen has an average of 3.6 % THC, with a range as high as 28%



6

Hash oil

 Tar-like liquid distilled from hashish, has an average of 16% THC with a range and high as 43%



Charas

- Has been used for thousands of years, for medicinal and religious ceremonies.
- · Cannabis grown in high altitude conditions
 - · ultraviolet radiation is strong
 - · produces substantially more THC
- Known to be particularly strong.

Introduction to Chemical Addictions

- Are made by rubbing one's hands through the flowers
- The resin sticks to one's palms and by the end of the day one has harvested perhaps 8 or 9 grams of charas.
- The faster one works, the lower the quality
- To make 'cream' it is necessary to go very slowly and it is only possible to make a few grams a day.
- Generally smoked in clay pipes
- Still is used in India as part of certain religious ceremonies

8

Introduction to Chemical Addictions

Common Slang Terms

Continuon Claring Torring		
	Aunt Mary	Kif
	Boom	Mary Jane
	Chronic (Marijuana	Pot
	alone or with crack)	Reefer
	Dope	Sinsemilla
	Ganja	Skunk
	Grass	Weed.
	Hash	Gangster
	Herb	Bud
	Indo	Hydro

Introduction to Chemical Addictions

Introduction to Chemical Addictions

More Statistics

Drug Slang Directory

- http://parentingteens.about.com/cs/dru gsofabuse/I/blsldicindex.htm
- http://www.marijuanadictionary.com/cmarijuana/marijuana.html
 - Look at the bottom of the page for the index
- http://www.drugfree.org/Portal/drug_g uide/BySlang
- http://www.urbandictionary.com/

10

Introduction to Chemical Addictions

Current Statistics

- Widest used illicit substance among all age groups
 - 48% of middle aged adults 26-34 have tried marijuana and inhaled
 - Current use is highest among young adults 18-25 years of age.
- · Adolescent use has quadrupled since 1994
 - 12-35+ yr. 32% report using in life time
 - decreases in rates of past year use among most surveyed age groups--including the primary users (18 to 25)--in 2003, 2004, and 2005.

Americans.63.8 percent were under age 18.

• In 2004, 14.6 million Americans age 12

in the month prior to being surveyed.

and older used marijuana at least once

• About 6,000 people a day in 2004 used

marijuana for the first time-2.1 million

12


11

9

Potency Levels

- · Past THC levels were 2 or 3 percent
- Present Achieving 8 to 12 percent THC levels through improved cultivation methods
 - BC Bud
 - Average potency of all tested samples has increased 52.4 percent (from 5.34 percent THC to 8.14 percent) within the past 5 years (DEA.gov).

13



Introduction to Chemical Addictions

Survey On Kids

- · Response Differences
 - 18% of parents say kids use
 - · 54% of kids say they have used
 - drugs #1 self-reported problem in life of teens
- · Parent talk impacts
- 7.1% of kids use if known parent disapproval
 - · hands on parent
- 31% of kids use with a hands off parent
 - no talk/no disapproval

15

Introduction to Chemical Addictions

Why is it important

- · Considered a Gateway Drug
 - · Is correlated with other drug use
 - · Is correlated with earlier sexual activity
 - Is correlated with poorer academics
 - Is correlated with other problems
- Problem
 - Correlation does not imply causation
 - Other legal drugs also correlated with the above problems too
 - Other social problems are also correlated with above

16

Introduction to Chemical Addictions

Regardless

- · Is illegal
- · Costs to society are large
 - enforcement/ corrections
 - School
 - dropouts
- Is related to a lot of problems
- Potency relates to increased addictive properties
- Changes developing brain tissue in adolescents

17

Introduction to Chemical Addictions

Plant Comparisons

- Both male and female plants produce lots of fiber
 - Can be used for clothing, paper, rope, etc.
 - Both male and female plants produce psychoactive substances
 - Female plant produces the best cannabinoids
 - Has better psychoactive properties (Buds)

18

Types of Cannabis/Marijuana

- C. Sativa
 - · Is the most widespread variety,
 - Is usually tall, laxly branched, has narrower leafs
 - · Found in warm lowland regions.
- · C. Indica
 - · Are shorter, bushier plants.
 - Have adapted to cooler climates and highland environments
 - Has poorer fiber quality than C. Sativa but has more intoxicating properties
 - Widely promoted for the manufacture of medicinal preparations.

19

Introduction to Chemical Addictions

C. Ruderalis

- · Are shorter plants
- Grow wild in Europe and central Asia.
- Are conical in shape, branchless, have relatively wide leaflets

20

Introduction to Chemical Addictions

Quality

- Depends on the species type for intoxicating effects.
 - C. Sativa has many strains desired by smokers
 - Includes Acapulco Gold and Durban Poison
 - C. Indica considered the most potent species
 - C. Ruderalis low quality

21

Introduction to Chemical Addictions

Pictures of Marijuana Plants



22

Introduction to Chemical Addictions

Pictures of Marijuana Plants



23

Introduction to Chemical Addictions

More Pictures of Marijuana Plants

• http://marijuanagirls.com/budpics.html

24

Brief History

- Hemp has been used in history for about 10,000 years
- · Used as a food in China about 6000 years BC
- Described in the oldest pharmacopoeia (The Pên-ts'ao Ching, 2000 B.C.)
 - Prescribes marijuana preparations for "malaria, beriberi, constipation, rheumatic pains, absentmindedness, and female disorders" (Schultes, R. E. 1967. Man and Marijuana. Nat. Hist. 82: 59-63, 80, 82).
- Mention was made of the intoxicating properties, but the medicinal value was considered more important.

25

Introduction to Chemical Addictions
The Swallow and the Other Birds by
Aesop's Fables

- It happened that a Countryman was sowing some hemp seeds in a field where a Swallow and some other birds were hopping about picking up their food. "Beware of that man," quoth the Swallow. "Why, what is he doing?" said the others. "That is hemp seed he is sowing: be careful to pick up every one of the seeds, or else you will repent it." The birds paid no heed to the Swallow's words, and by and by the hemp grew up and was made into cord, and of the cords nets were made, and many a bird that had despised the Swallow's advice was caught in nets made out of that very hemp. "What did I tell you?" said the Swallow.
- · Destroy the seed of evil, or it will grow up to your ruin.

26

Introduction to Chemical Addictions

Other Countries

- · In India was used recreationally.
- The Muslims used it recreationally since alcohol consumption was banned by the Koran.
- · Introduced Hashish
 - Popularity spread quickly throughout 12th century Persia (Iran) and North Africa.

27

Introduction to Chemical Addictions

Until the 1930's

28

Introduction to Chemical Addictions

Was Used in Products



Introduction to Chemical Addictions Was Used for Intoxication 31

Introduction to Chemical Addictions

History Continued

- 1937 Cannabis Sativa was banned, despite other opiate-based medications being available through prescriptions.
- Hemp fibers were used by the military in WWII.
- 1940's Anti- marijuana campaign from media
 - Hearst publications used Spanish slang term "marijuana", to make cannabis sound more foreign and menacing.
- 1950's heavy use in "jazz" culture.
- 1960's sex, drugs, rock and roll, hippie counterculture.

32

Introduction to Chemical Addictions

History Continued

- 1970's introduction of more diverse drug culture
- 1980's revolution in manufacturing
- · Internal watering and growing systems
- 1980-present
- · medical controversy
- Production changes
- · THC levels increase Crack
- · 1990's competition from club drugs.
- Present
 - · eradication efforts.
 - More consolidation by drug organizations
 - · Higher potency techniques continue

33

Introduction to Chemical Addictions

Medical Marijuana

- Advocates
 - · Appetite- HIV, eating disorder, wasting syndrome.
 - · Nausea & Vomiting- cancer treatment side effect relief
 - Neurological & Movement Disorders, MS, Epilepsy, Parkinson's, seizures, convulsions.
 - · Analgesia
 - Glaucoma

34

Introduction to Chemical Addictions

Problems

- Contains over 400 chemicals and 60 different cannibinoids
- Other drugs can be used for same diseases without the high
- · Other drugs do not need to be used as
- May control nausea but decreases immunological functioning
- Others

35

Introduction to Chemical Addictions

More Medical Controversy

- · Testing problems
 - · Application / dosage differences
 - · No consistent dosage
- Natural THC vs. man made Dronabinol
 - · Not advocated by most professional organizations
- · Benefits verses risks
- · Toxicity levels not known

36

Currently

- Is a Multi-billion dollar business.
- Has numerous web-sites
- · International market place
- Hemp vs. Marijuana
- Clothing, export/import issues
- Social, medical, political implications
- NORML (National Organization Reform Marijuana Legislation)

37

Introduction to Chemical Addictions

Conclusions

- Has been around a long time
- Use remains controversial
- Is becoming extremely more potent
 - Has implications for addiction
 - Early use in adolescents will create problems in many areas

38